

2018 Provider Tips for Pediatric HEDIS Measures

| HEDIS MEASURE | REQUIRED SERVICE | BILLING TIPS/DOCUMENTATION |
|---|--|--|
| Well Child Visit (WCV) Age 0 – 15 months | 6 or more WCV from 0 – 15 months 3 components of WCV: <ul style="list-style-type: none"> Health and Developmental Hx PE Health Education/Guidance (address safety issues such as car seat/sleep positioning) Sick visits are opportunities to include this information | ICD-10: Z00.110 Health examination for newborn under 8 days old Z00.111 Health examination for newborn 8 to 28 days old Z00.121 Encounter for routine child health examination with abnormal findings Z00.129 Encounter for routine child health examination w/o abnormal findings Z00.5 Z00.8 Z02.0 Z02.2 Z02.79 Z02.81 Z02.82 Z02.83 Z02.89 Z02.9 HCPCS: G0438 G0439 CPT: 99381-82 99391-92 99461 These codes do NOT have to be the primary code |
| Well Child Visit (WCV) Age 3 – 6 years | One WCV with PCP each year 3 components of WCV: <ul style="list-style-type: none"> Health and Developmental Hx PE Health Education/Guidance (address safety issues such as bike helmet/pool fences etc.) Sick visits are opportunities to include this information | ICD-10: Z00.121 Encounter for routine child health examination with abnormal findings Z00.129 Encounter for routine child health examination w/o abnormal findings Z00.5 Z00.8 Z02.0 Z02.2 Z02.79 Z02.81 Z02.82 Z02.83 Z02.89 Z02.9 HCPCS: G0438 G0439 CPT: 99382-83 99392-93 99461 These codes do NOT have to be the primary code |
| Adolescent Well Care (AWC) Age 12 - 21 years | One AWC with PCP or Ob/Gyn each year 3 components of AWC: <ul style="list-style-type: none"> Health and Developmental Hx (include relationships at school, hobbies, sexual activity) PE Health Education/Guidance (diet, exercise, drugs, smoking, suicide risk, contraception) Sexual activity CPT II 4293F Depression CPT II 1220F 3085F 3351F 3352F 3353F 3354F 3725F Tobacco CPT II 1000F 1031F 1032F 1033F 1034F 1035F 1036F Substance Abuse CPT II 3016F 4290F 4306F 4320F (Sick visits are opportunities to include this information) | ICD-10: Z00.121 Encounter for routine child health examination with abnormal findings Z00.129 Encounter for routine child health examination w/o abnormal findings Z00.5 Z00.8 Z02.0 Z02.2 Z02.3 Z02.4 Z02.5 Z02.6 Z02.71 Z02.79 Z02.81 Z02.82 Z02.83 Z02.89 Z02.9 HCPCS: G0438 G0439 CPT: 99384-85 99394-95 99461 The codes do NOT have to be the primary code |
| Weight Assessment and Counseling for Nutrition and Physical Activity for children/Adolescents Age 3 – 17 years (Bonus payment is available from BCN) | The following documentation at least once per year: <ul style="list-style-type: none"> BMI percentile documentation including height and weight (at least once per year) Counseling for nutrition Counseling for physical activity Must provide written educational materials for nutrition/physical activity to meet counseling criteria Need all 3 components to receive credit for measure EXCLUSIONS: Female members with dx of pregnancy during the measurement year or prior year ICD-10: O00-O9A Z3A Z34 | BMI Percentile: ICD-10: Z68.51 Body mass index pediatric, less than 5th percentile for age Z68.52 Body mass index pediatric, 5th % to less than 85th % for age Z68.53 Body mass index pediatric, 85th % to less than 95th % for age Z68.54 Body mass index pediatric, greater than or equal to 95th % for age Nutrition Counseling: ICD-10: Z71.3 Dietary counseling and surveillance CPT: 97802 – 04* HCPCS: G0270 – 71* G0447 S9449 S9452 S9470 Physical Activity Counseling: ICD-10: Z71.82 (If you are completing a sports physical Z02.5, this code satisfies the physical activity metric.) HCPCS: G0447 S9451 *BCBSM payable code for commercial PPO S codes are for non-physician providers |
| Lead Screening Age 0 – 2 years | At least one lead screening prior to child's second birthday | CPT: 83655 |
| Appropriate testing for children with PHARYNGITIS and dispensed an antibiotic Age 3 – 18 years | Group A strep test in a 34 day period from 30 days prior to Index Episode start date to 4 days following. (Rapid strep is acceptable.) The metric includes any child with an outpatient or ED visit diagnosed with pharyngitis, dispensed an antibiotic and received a strep test for the episode. (Higher is better.) | CPT: 87070 87071 87081 87430 87650-87652 87880 ICD-10: J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91 |

2018 Provider Tips for Pediatric HEDIS Measures

| HEDIS MEASURE | REQUIRED SERVICE | BILLING TIPS/DOCUMENTATION | | | | | | | | | | |
|--|---|---|---------|---------|---------|-----------|---------|---------|---------------|-----------|---------------|--|
| <p>Chlamydia Screening</p> <p>Females: age 16-24 years (Eligible population is identified by codes indicating pregnancy or sexual activity. Any member with a pregnancy test or pharmacy claim for contraceptives is included in the population.)</p> | <p>Sexually active women ages 16-24 should have at least one test for Chlamydia each year</p> <p>This can be completed with a simple urine screen. Does not require a pelvic exam</p> <p>EXCLUSIONS: members with history of pregnancy during measurement year or year prior ICD-10: O00-09A Z3A Z34</p> <p>Also excluded are members with a pregnancy test and an X-ray done or prescription for a retinoid within 6 days of the pregnancy test.</p> <p>Members in hospice are excluded</p> | <p>CPT: 87110 87270 87320 87490-87492 87810</p> | | | | | | | | | | |
| <p>Appropriate treatment for children with Upper Respiratory Infection</p> <p>Age 3 months to 18 years</p> | <p>The percentage of children who were diagnosed with a URI and NOT dispensed antibiotics.</p> | <p>ICD-10: J00 J06.0 J06.9</p> | | | | | | | | | | |
| <p>Childhood Immunizations</p> <p>Must occur prior to child's second birthday</p> <p>Document parent refusal for IMMUNIZATIONS</p> | <p>Complete prior to second birthday</p> <table border="0"> <tr> <td>4 – DtaP/DTP</td> <td>1 - MMR</td> </tr> <tr> <td>3 – IPV</td> <td>1 - VZV</td> </tr> <tr> <td>3 – Hep B</td> <td>4 - PCV</td> </tr> <tr> <td>3 – Hib</td> <td>3 - Rotovirus</td> </tr> <tr> <td>1 – Hep A</td> <td>2 – Influenza</td> </tr> </table> <p>EXCLUSIONS: Document anaphylaxis to any particular vaccine ICD-10:</p> <p>T80.52XA Anaphylactic reaction due to vaccination, initial encounter</p> <p>T80.52XD Anaphylactic reaction due to vaccination, subsequent encounter</p> <p>T80.52XS Anaphylactic reaction due to vaccination, sequela</p> <p>EXCLUSIONS for MMR and VZV: HIV, Immunodeficiency, Lymphoreticular cancer</p> <p>Document all seropositive and illnesses of chicken pox, measles, mumps and rubella</p> <p>HX of Disease Codes:</p> <p>Chicken pox: CPT: 90716 ICD-10: B01</p> <p>Measles: CPT: 90705 ICD-10: B05.X</p> <p>Mumps: CPT: 90704 ICD-10: B26</p> <p>Rubella: CPT: 99706 ICD-10: B06</p> | 4 – DtaP/DTP | 1 - MMR | 3 – IPV | 1 - VZV | 3 – Hep B | 4 - PCV | 3 – Hib | 3 - Rotovirus | 1 – Hep A | 2 – Influenza | <p>IMMUNIZATIONS:</p> <p>DTaP: CPT: 90698 90700 90719 90721 90723 ICD-10: Z23</p> <p>IPV: CPT: 90698 90713 90723 ICD-10: Z23</p> <p>HEP B: CPT: 90723 90740 90744 90747 90748 HSPCS: G0010 ICD-10: Z23</p> <p>HIB: CPT: 90645-48 90698 90721 90748 ICD-10: Z23</p> <p>PCV: CPT: 90669 90670 HCPCS: G0009 ICD-10: Z23</p> <p>VZV: CPT: 90710 90716 ICD-10: Z23</p> <p>Measles and Rubella: CPT: 90708 ICD-10: Z23</p> <p>MMR: CPT: 90707 90710 ICD-10: Z23</p> <p>HEP A: CPT: 90633 ICD-10: Z23</p> <p>INFLUENZA: CPT: 90655 90657 90661 90673 90685 90662 ICD-10: Z23</p> |
| 4 – DtaP/DTP | 1 - MMR | | | | | | | | | | | |
| 3 – IPV | 1 - VZV | | | | | | | | | | | |
| 3 – Hep B | 4 - PCV | | | | | | | | | | | |
| 3 – Hib | 3 - Rotovirus | | | | | | | | | | | |
| 1 – Hep A | 2 – Influenza | | | | | | | | | | | |
| <p>Adolescent Immunizations</p> <p>Adolescents who turn 13 during the measurement year.</p> | <p>Complete immunization prior to 13th birthday</p> <ul style="list-style-type: none"> • 1 dose of Meningococcal conjugate/polysaccharide between 11th and 13th birthday • 1 dose of Tdap or Td between 10th and 13th birthday • 2 doses of the HPV vaccine between the member's 9th and 13th birthday * (for both males and females) *HEDIS recommendation differs from ACIP/CDC <p>EXCLUSIONS: Document anaphylaxis to any particular vaccine ICD-10:</p> <p>T80.52XA Anaphylactic reaction due to vaccination, initial encounter</p> <p>T80.52XD Anaphylactic reaction due to vaccination, subsequent encounter</p> <p>T80.52XS Anaphylactic reaction due to vaccination, sequela</p> <p>Document certificate of immunization prepared by health care provider including dates and type of immunization</p> | <p>IMMUNIZATIONS:</p> <p>Meningococcal: CPT: 90733 90734 ICD-10: Z23</p> <p>Tdap: CPT: 90715 ICD-10: Z23</p> <p>Td: CPT: 90714 90718 ICD-10: Z23</p> <p>Tetanus: CPT: 90703 ICD-10: Z23</p> <p>Diphtheria: CPT: 90719 ICD-10: Z23</p> <p>HPV: CPT: 90649 90650 90651 ICD-10: Z23</p> | | | | | | | | | | |

| 2018 Provider Tips for Pediatric HEDIS Measures | | |
|--|--|---|
| HEDIS MEASURE | REQUIRED SERVICE | BILLING TIPS/DOCUMENTATION |
| <p>Medication Management for People with Asthma</p> <p>Members age 5 – 64</p> <p>EXCLUSIONS: COPD: ICD-10:J44.0 J44.1 J44.9 emphysema: ICD-10:J43.0 J43.1 J43.2 J43.8 J43.9 J98.2 J98.3 cystic fibrosis: ICD-10:E84.0 E84.8 E84.9 E84.11 E84.19 acute respiratory failure: ICD-10:J96.00 J96.01 J96.02 J96.20 J96.21 J96.22</p> | <p>Percentage of members during the measurement year that were identified as having persistent asthma and were dispensed appropriate medications that they remained on during the treatment period.</p> <ul style="list-style-type: none"> Anti-asthmatic combinations, antibody inhibitor, inhaled corticosteroids, inhaled steroid combinations, mast cell stabilizers, leukotriene modifiers methylxanthines or anti-interleukin-5 <p>(Members with an inpatient admission for asthma emergency department dx of asthma, four or more outpatient/observation asthma visits, or two asthma medication dispensing events are included in the measure)</p> | <p>Codes to Identify Asthma:</p> <p>ICD-10: J45.20-J45.22 J45.30-45-32 J45.40-J45.42 J45.50-J45.52 J45.901-J45.902 J45.909 J45.991 J45.998</p> <p>CPT: 99221-99223 99231-99233 99238-99239 99251-99255 99291</p> <p>(Numerator based on pharmacy claims)</p> |
| <p>Follow-up Care for Children Prescribed ADHD Medication Ages 6-12 years</p> | <p>Children who received an initial prescription for ADHD medication and</p> <ul style="list-style-type: none"> Remained on the medication Had appropriate follow up care visits <p>Two rates are reported:</p> <ol style="list-style-type: none"> Initiation Phase: – one follow-up visit with a prescribing practitioner within 30 days Continuation and Maintenance Phase: – remained on the medication for at least 210 days and – had two additional visits with a practitioner within 270 days – Telehealth visit qualifies for one visit for the C&M phase <p>(9 months after the Initiation Phase ended).</p> <p>(Visits billed with telehealth modifier or telehealth POS code may not be used in the Initiation Phase numerator)</p> | <p>Codes to Identify ADHD visit (applies to initiation and continuation phases):</p> <p>ICD-10: F90.0 F90.1 F90.2 F90.8 F90.9</p> <p>CPT: 96150, 96152, 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99383, 99384, 99393, 99394 (99444 or 98969 for telehealth visit for maintenance phase)</p> <p>EXCLUSION: Patients with a history of narcolepsy</p> |

NOTE: *Non-Recommended Cervical Cancer Screening* in females (age 20 and younger) is also included in the HEDIS measure set. This assesses the percentage of females between 16 and 20 who are unnecessarily screened for cervical cancer.

DISCLAIMER

The information on this page is provided as an information resource only, and is not to be used or relied on for any billing, coding, diagnostic or treatment purposes. The physician is solely responsible for patient care, documenting patient care, encounter information, billing, selection of diagnostic codes, selection of procedure codes, selection of HCPCS codes, selection of ICD-10 codes, selection of CPT codes, etc. The Physician Alliance, LLC makes no express or implied representations or warranties, and assumes no responsibility for the accuracy of the information contained on or available on this document. This document is subject to change without notice.