

	2019 Provider Tips for Pediatric HEDIS Measures	
HEDIS MEASURE	REQUIRED SERVICE	BILLING TIPS/DOCUMENTATION
Well Child Visit (WCV)	6 or more WCV from 0 – 15 months	ICD-10:
tron orma visit (trov)	o of more wor from o to more is	Z00.110 Health examination for newborn
Age 0 – 15 months	3 components of WCV:	under 8 days old
	Health and Developmental Hx	Z00.111 Health examination for newborn 8 to
(Children who turn 15 months in	• PE	28 days old
the measurement year are included)	Health Education/Guidance (address safety issues such as car seat/sleep positioning)	Z00.121 Encounter for routine child health examination with abnormal findings
included)	scatt sicep positioning)	Z00.129 Encounter for routine child health
	Sick visits are opportunities to include this information	examination w/o abnormal findings
		Z00.5 Z00.8 Z02.0 Z02.2 Z02.79
		Z02.81 Z02.82 Z02.83 Z02.89 Z02.9
		HCPCS: G0438 G0439 CPT: 99381-82 99391-92 99461
		These codes do NOT have to be the primary
		code
Well Child Visit (WCV)	One WCV with PCP each year	ICD-10:
	·	Z00.121 Encounter for routine child health
Age 3 – 6 years	3 components of WCV:	examination with abnormal findings
	Health and Developmental Hx PE	Z00.129 Encounter for routine child health examination w/o abnormal findings
	 PE Health Education/Guidance (address safety issues such as 	examination w/o abnormal inidings
	bike helmet/pool fences etc.)	Z00.5 Z00.8 Z02.0 Z02.2 Z02.79
		Z02.81 Z02.82 Z02.83 Z02.89 Z02.9
	Sick visits are opportunities to include this information	HCPCS: G0438 G0439
		CPT: 99382-83 99392-93 99461
		These codes do NOT have to be the primary code
Adolescent Well Care (AWC)	One AWC with PCP or Ob/Gyn each year	ICD-10:
Adolescent Wen dare (AWO)	One new with tot of objective and year	Z00.121Encounter for routine child health
Age 12 - 21 years	3 components of AWC:	examination with abnormal findings
	 Health and Developmental Hx (include relationships at school, 	Z00.129Encounter for routine child health
	hobbies, sexual activity)	examination w/o abnormal findings
	 PE Health Education/Guidance (diet, exercise, drugs, smoking, suicide 	Z00.5 Z00.8 Z02.0 Z02.2 Z02.3 Z02.4 Z02.5 Z02.6
	risk, contraception)	Z02.71 Z02.79 Z02.81 Z02.82 Z02.83 Z02.89
	Thou, some despitation	Z02.9
	Sexual activity CPT II 4293F	
	Depression CPT II 1220F 3085F 3351F 3352F 3353F 3354F 3725F	HCPCS: G0438 G0439
	Tobacco CPT II 1000F 1031F 1032F 1033F 1034F 1035F 1036F	CPT: 99384-85 99394-95 99461
	Substance Abuse CPT II 3016F 4290F 4306F 4320F	The codes do NOT have to be the
	(Sick visits are opportunities to include this information)	primary code
Weight Assessment and	The following documentation at least once per year:	
Counseling for Nutrition and		BMI Percentile: ICD-10:
Physical Activity for	BMI percentile documentation including height and weight (at least)	Z68.51 Body mass index pediatric, less
children/Adolescents	once per year)	than 5th percentile for age
Age 3 – 17 years	Counseling for nutritionCounseling for physical activity	Z68.52 Body mass index pediatric, 5th % to less than 85th % for age
rige 3 17 years	Must provide written educational materials for nutrition/physical	Z68.53 Body mass index pediatric, 85 th %
(Bonus payment is available	activity to meet counseling criteria	to less than 95th % for age
from BCN)	 Need all 3 components to receive credit for measure 	Z68.54 Body mass index pediatric, greater
	EVOLUDIONO E	than or equal to 95th % for age
	EXCLUSIONS : Female members with dx of pregnancy during the	Nutrition Counseling: ICD-10:
	measurement year or prior year	Z71.3 Dietary counseling and surveillance
	ICD-10: 000-09A Z3A Z34	, ,
		CPT: 97802 – 04* HCPCS: G0270 – 71* G0447 S9449 S9452
		S9470
		(Services rendered tor obesity or eating disorders
		may be used to meet criteria for this measure)
		Physical Activity Counseling:
		ICD-10: Z 71.82 (If you are completing a
		sports physical Z02.5, this code satisfies the physical activity metric.)
		HCPCS: G0447 S9451
		*BCBSM payable code for commercial PPO
		S codes are for non-physician providers
Lead Screening	At least one lead screening prior to child's second birthday	CPT : 83655
Age 0 – 2 years	Construct Ashare Ashare Ashare and Ashare an	ODT 07070 07074 07004 07400 07470 0747
Appropriate testing for children with PHARYNGITIS	Group A strep test in a 34 day period from 30 days prior to Index Episode start date to 4 days following. (Rapid strep is acceptable.)	CPT : 87070 87071 87081 87430 87650-87652 87880
and dispensed an antibiotic	The metric includes any child with an outpatient or ED visit diagnosed with	ICD-10: J02.0, J02.8, J02.9, J03.00, J03.01,
	pharyngitis, dispensed an antibiotic and received a strep test for the	J03.80, J03.81, J03.90, J03.91
Age 3 – 18 years	episode. (Higher is better.) The measurement period is from July 1, of the	
	year prior to the measurement year until June 30 of the measurement	



	2019 Provider Tips for Pediatric HEDIS Measures	
HEDIS MEASURE	REQUIRED SERVICE	BILLING TIPS/DOCUMENTATION
Chlamydia Screening Females: age 16-24 years (Eligible population is identified by codes indicating pregnancy or sexual activity. Any member with a pregnancy test or pharmacy claim for contraceptives is included in the population.)	Sexually active women ages 16-24 should have at least one test for Chlamydia each year	CPT: 87110 87270 87320 87490-87492 87810
	This can be completed with a simple urine screen. Does not require a pelvic exam	
	EXCLUSIONS : members with history of pregnancy during measurement year or year prior ICD-10: O00-O9A Z3A Z34	
	Also excluded are members with a pregnancy test and an X-ray done or prescription for a retinoid within 6 days of the pregnancy test.	
	Members in hospice are excluded	
Appropriate treatment for children with Upper Respiratory Infection	The percentage of children who were diagnosed with a URI and NOT dispensed antibiotics.	ICD-10: J00 J06.0 J06.9
Age 3 months to 18 years		
Childhood Immunizations	Complete prior to second birthday	IMMUNIZATIONS:
Must occur prior to child's second birthday	4 – DtaP/DTP 1 - MMR	DTaP: CPT : 90698 90700 90719 90721 90723
Document parent refusal for IMMUNIZATIONS	3 – IPV 1 - VZV 3 – Hep B 4 - PCV	ICD-10: Z23 IPV: CPT: 90698 90713 90723 ICD-10: Z23
TWWWGNIZATIONS	3 – Hib 3 - Rotovirus	HEP B: CPT : 90723 90740 90744 90747 90748
	1 – Hep A 2 – Influenza	HSPCS: G0010 ICD-10: Z23
	EXCLUSIONS: Document anaphylaxis to any particular vaccine ICD-10:	HIB: CPT : 90645-48 90698 90721 90748
	T80.52XA Anaphylactic reaction due to vaccination, initial encounter	ICD-10: Z23 PCV: CPT: 90669 90670
	Anaphylactic reaction due to vaccination, subsequent T80.52XD encounter	HCPCS: G0009 ICD-10: Z23
	T80.52XS Anaphylactic reaction due to vaccination, sequela	VZV: CPT : 90710 90716 ICD-10 : Z23
	EXCLUSIONS for MMR and VZV: HIV, Immunodeficiency, Lymphoreticular cancer	Measles and Rubella: CPT: 90708 ICD-10: Z23
	Document all seropositive and illnesses of chicken pox, measles, mumps and rubella	MMR: CPT: 90707 90710 ICD-10: Z23 HEP A: CPT: 90633
	HX of Disease Codes: Chicken pox: CPT: 90716 ICD-10: B01	ICD-10: Z23
	Measles: CPT: 90705 ICD-10: B05.X Mumps: CPT: 90704 ICD-10: B26 Rubella: CPT: 99706 ICD-10: B06	CPT : 90655 90657 90661 90673 90685 90662
Adolescent	Complete immunization prior to 13 th birthday	ICD-10: Z23 IMMUNIZATIONS:
Immunizations	1 dose of Meningococcal conjugate/polysaccharide between 11th and	Meningococcal: CPT: 90733 90734
Adolescents who turn 13 during the measurement year.	 13th birthday 1 dose of Tdap or Td between 10th and 13th birthday 	ICD-10: Z23 Tdap: CPT: 90715
	2 doses of the HPV vaccine between the member's 9 th and 13 th birthday * (for both males and females) *HEDIS recommendation differs from ACIP/CDC	Td: ICD-10: Z23 Td: CPT: 90714 90718 ICD-10: Z23
	EXCLUSIONS: Document anaphylaxis to any particular vaccine ICD-10:	Tetanus: CPT : 90703 ICD-10 : Z23
	T80.52XA Anaphylactic reaction due to vaccination, initial encounter	Diphtheria: CPT : 90719 ICD-10 : Z23
	T80.52XD Anaphylactic reaction due to vaccination, subsequent encounter	HPV: CPT : 90649 90650 90651
	T80.52XS Anaphylactic reaction due to vaccination, sequela	ICD-10: Z23
	Document certificate of immunization prepared by health care provider including dates and type of immunization	



2019 Provider Tips for Pediatric HEDIS Measures			
HEDIS MEASURE	REQUIRED SERVICE	BILLING TIPS/DOCUMENTATION	
Medication Management for People with Asthma	Percentage of members during the measurement year that were identified as having persistent asthma and were dispensed appropriate medications	Codes to Identify Asthma:	
Members age 5 – 64 EXCLUSIONS: COPD: ICD-10:J44.0 J44.1 J44.9 emphysema: ICD- 10:J43.0 J43.1 J43.2 J43.8 J43.9 J98.2 J98.3 cystic fibrosis: ICD-10:E84.0 E84.8 E84.9 E84.11 E84.19 acute respiratory failure: ICD-10:J96.00 J96.01 J96.02 J96.20 J96.21 J96.22	 Anti-asthmatic combinations, antibody inhibitor, inhaled corticosteroids, inhaled steroid combinations, leukotriene modifiers methylxanthines or anti-interleukin-5 (Members with an inpatient admission for asthma emergency department dx of asthma, four or more outpatient/observation asthma visits, or two asthma medication dispensing events are included in the measure) A telehealth encounter can satisfy the measure. 	ICD-10: J45.20-J45.22 J45.30-45-32 J45.40-J45.42 J45.50-J45.52 J45.901-J45.902 J45.909 J45.991 J45.998 CPT: 99221-99223 99231-99233 99238-99239 99251-99255 99291 (Numerator based on pharmacy claims)	
Follow-up Care for Children Prescribed ADHD Medication Ages 6-12 years	Children who received an initial prescription for ADHD medication and Remained on the medication Had appropriate follow up care visits Two rates are reported: I. Initiation Phase: one follow-up visit with a prescribing practitioner within 30 days Continuation and Maintenance Phase: remained on the medication for at least 210 days and had two additional visits with a practitioner within 270 days Telehealth visit qualifies for one visit for the C&M phase (9 months after the Initiation Phase ended). (Visits billed with telehealth modifier or telehealth POS code may not be used in the Initiation Phase numerator)	Codes to Identify ADHD visit (applies to initiation and continuation phases): ICD-10: F90.0 F90.1 F90.2 F90.8 F90.9 CPT: 96150, 96152, 99201, 99202, 99203, 99204, 99205,99211, 99212, 99213, 99214, 99215, 99241, 99242,99243, 99244 or 98969 for telehealth visit for maintenance phase) EXCLUSION: Patients with a history of narcolepsy	

NOTE: *Non-Recommended Cervical Cancer Screening* in females (age 20 and younger) is also included in the HEDIS measure set. This assesses the percentage of females between 16 and 20 who are unnecessarily screened for cervical cancer.

DISCLAIMER

The information on this page is provided as an information resource only, and is not to be used or relied on for any billing, coding, diagnostic or treatment purposes. The physician is solely responsible for patient care, documenting patient care, encounter information, billing, selection of diagnostic codes, selection of procedure codes, selection of HCPCS codes, selection of ICD-10 codes, selection of CPT codes, etc. The Physician Alliance, LLC makes no express or implied representations or warranties, and assumes no responsibility for the accuracy of the information contained on or available on this document. This document is subject to change without notice.